



GROUP 708 **HOT DIP**

Page **582**

GROUP 716 **SEALANTS AND ADHESIVES**

Page **582**

GROUP 721 **PAINTS**

Page **583**

GROUP 727 **CLEANING BATHS**

Page **584**

GROUP 727 **SOLVENT DEGREASERS**

Page **584**

GROUP 732 **CLEANER SPRAYS**

Page **585**

GROUP 732 **MAINTENANCE SPRAYS & LUBRICANTS**

Page **586 - 589**

GROUP 734 **MARKERS - PAINT**

Pages **590**

GROUP 740 **GREASES**

Page **591**

GROUP 741 **SECONDARY CONTAINMENT STORAGE**

Page **592 - 593**

GROUP 742 **SPILL RESPONSE**

Page **594 - 597**

GROUP 780 **HAND & SKIN CARE**

Pages **598**

GROUP 780 **CLEANING PRODUCTS**

Pages **599 - 601**

Section 7 Contents

Description	Group	Page
Cleaning Products	780	599 - 601
Cleaner Sprays	732	585
Cleaning Baths	727	584
Greases	740	591
Hand & Skin Care	780	598
Hot Dip Coatings	708	582
Maintenance Sprays & Lubricants	732	586 - 589
Markers - Paint	734	590
Paints	721	583
Sealants & Adhesives	716	582
Secondary Containment Storage	741	592 - 593
Solvent Degreasers	727	584
Spill Response	742	594 - 597

Lubricants & Chemical Products

Section 7
Product Groups
708 - 780



KENNEDY Protective Coating
 QUALITY INDUSTRIAL TOOLING **Red-Hot-Dip**

Hot dip strippable plastic coating moulds itself around the component or tool being coated to provide 100% coverage and protects against corrosion and impacts, for up to ten years. The component protected can be easily identified through the translucent coating. Simply removed by peeling it off, leaves behind a thin oil film to provide short term protection against corrosion. The removed protective dip can be reused. Never directly apply heat to melt the protective dip, always use with a suitable melting pot. Working temperature 130°C to 160°C (for optimum results 140°C to 145°C).



RD160
Red colour.

AD160
Amber colour.

Description (Bars)	Weight each	Order Code
RD160 Single Bar	0.50g	-0050K
RD160 Case (50)	25.00g	-0250K
AD160 Single Bar	0.50g	-0500K
AD160 Case (50)	25.00g	-0550K

Industrial Melting Pots



A range of melting pots which have been designed for industrial melting of waxes, glues and plastics etc. for coating, casting, protecting etc. The pots are electrically heated and thermostatically temperature controlled from 50°C to 200°C. Constructed from anodised aluminium with ceramic fibre insulation. Pots supplied with 2m cable and fused plug, lifting handle, double-wall heat-conserving lid, on/off switch and safety thermal cut-out. 220/240V as standard.



Capacity Litres	Capacity Pints	Internal Dimensions		Maximum Wattage	Order Code
		Diameter	Depth		
0.7	1.20	100 (mm)	90 (mm)	275	-1010K
2.5	4.40	150 (mm)	140 (mm)	600	-1030K
6.0	10.5	200 (mm)	190 (mm)	1125	-1060K

Lubricants & Chemical Products

Sealant Cartridge Applicator Guns

Economy Plastic Gun
Easy to use.



Accepts 310ml cartridges.

Type	Cartridge (max size)	Order Code
Plastic	310ml	-1200K

Standard Metal Gun

Robust and easy to use.



Accepts 310ml cartridges.

Type	Cartridge (max size)	Weight each	Order Code
Std.	310ml	435g	-1000K

Heavy Duty Metal Guns

Extremely robust and ideal for continuous use. Will not twist under pressure, ergonomically designed to reduce operator fatigue. Very smooth action for optimum application of sealant.



Heavy Duty Metal - 310ml



Heavy Duty Metal - 380ml

Type	Cartridge (max size)	Order Code
Heavy	310ml	-1400K
Duty	380ml	-2000K

SHERLOCK Silicone

General Purpose Silicone

High performance acetoxo silicone provides a permanently watertight flexible seal and offers excellent adhesive properties, making it suitable for use on glass, sanitary-ware, ceramics and non-porous surfaces. For indoor and outdoor use. Weather-proof. Mould-resistant. Life expectancy up to 25 years. Conforms to **BS 5889**. Size: 310ml cartridge.



Colour	Order Code
White	-3100K
Clear	-3110K
Lt Brown	-3120K
Black	-3130K
Grey	-3140K

Instant Nails

A high strength gap filling solvent-free adhesive that produces a quick 'grab' and replaces mechanical fixings in a multitude of home improvement applications. Dries white and is over-paintable when dry.



Size	Order Code
310ml	-6500K

P.T.F.E. Tape

Gas Type:
12mm x 5m roll. For gas and hot water pipes (not for potable water). Made to **BS EN 751:3**
Water Type:
12mm x 12m roll. For hot and cold water pipes. Made to **BS 6920 & BS 7786**



Description	Order Code
Gas	-8000K
Water	-9000K

* Other sizes available upon request. *

SOLENT Floor
MAINTENANCE Paint

Attractive and hard wearing, transforms drab, stained or scuffed concrete and similar surfaces. Suitable for floors in warehouses, workshops, shop floors, garages, basements, etc.

Storage and Use

Store at temperatures above 12°C. Apply in warm (above 15°C) well ventilated conditions. Easy to use, oil resistant and easy to clean. No primer required. Ideal for garages, workshops and laundry rooms.

Coverage: up to 8m² per litre (two coats recommended).

*Please note, colours are for guidance only.

5 Litre tin.



Colour	Order Code
Mid Grey	-2050E
Tile Red	-2100K
Mid Green	-2030C
Dark Grey	-2040D
Mid Blue	-2060F


Anti-Slip Floor Paint

Tuffgrip

Solvent free industrial quality floor paint. Applied by roller as a one-coat system, to provide traction in areas of slip hazard. Hard wearing, epoxy resin anti-slip coating suitable for use on heavy trafficked concrete, stone, steel and wooden floor surfaces.

Coverage: 5m² per pack.

*Please note, colours are for guidance only. 5 Litre tin.



Colour	Order Code
Mid Grey	-3050E
Safety Yellow	-3080H
Tile Red	-3100K



SOLENT MAINTENANCE

Galvanising Spray - Cold Zinc

SZ1-500B

Fast drying corrosion protection. Matches colour of newly galvanised metal. Ideal for protecting welding joints in galvanised structures. Can be used as a top coat or primer. Compatible with most paint finishes. Contains no CFCs or lead. Fitted with directional spray button designed to assist application in outdoor locations with minimum over-spray.

Size: 500ml aerosol.



500ml

Product Number	Size	Order Code
SZ1-500B	500ml	-0900K

SITESAFE

Cold Galvanising Spray

CGA500

Fast drying corrosion protection. Matches colour of newly galvanised metal. Ideal for protecting welding joints in galvanised structures. Can be used as a top coat or primer. Compatible with most paint finishes. Contains no CFCs or lead. Fitted with directional spray button designed to assist application in outdoor locations with minimum over-spray.

Size: 500ml aerosol.



500ml

Product Number	Size	Order Code
CGA500	500ml	-3900K

Lubricants & Chemical Products

SOLENT *Degreasing Station/
MAINTENANCE™ Parts Washer*

Air operated, strong and durable mild steel degreasing station. Ideal for use as a soaking bath and air agitation facility aids the degreasing process by removing heaviest oil and grime from small parts. Also comes with a flow through brush to deal with caked on grime. Designed to sit on 100L barrel.

Dimensions:

Length: 760mm (30").

Width: 510mm (20").

Height: 200mm (8").

Weight: 20.8kg.

Working height:

When on 100L drum = 890mm (35").

Solvent delivery: Flow through brush.

General: Powder coated bowl and galvanised splashback sheet.

Tray is mild steel.



Tray Material	Voltage	Order Code
Mild Steel	110V Parts Washer	-5110A
Mild Steel	240V Parts Washer	-5240A

Just Orange

Citrus Based Solvent Degreaser

Just Orange is a safe but powerful, citrus-based solvent degreaser. For the cleaning and degreasing of engineering components and equipment. Safely removes heavy oils, greases, bitumen, wet paints, adhesives and sealants from virtually all hard surfaces. Non-toxic, contains no CFCs. Reduced VOC. Inflammable. Non-hazardous for waste disposal. Can be used as a safer, environmentally friendly alternative to hazardous solvents such as acetone, benzene, butyl cellulose, CFCs, freon, glycol ethers, HCFCs, isopropyl alcohol, methyl ethyl, ketone, mineral spirits, toluene, trichloroethylene, xylene etc.



Orange Plus

Citrus Based Water Rinseable Degreaser

Orange Plus is a safe but powerful, citrus-based solvent degreaser. For the cleaning and degreasing of engineering components and equipment. Safely removes heavy oils, greases, bitumen, wet paints, adhesives and sealants from all metals, including plant and machinery, and some plastics. Non-toxic, contains no CFCs. Reduced VOC. Non-flammable. Non-hazardous for waste disposal. Can be used as a safer, environmentally friendly alternative to hazardous solvents such as Xylene, Toluene, Acetone etc.

Aqueous Orange

Citrus Based Aqueous Cleaner

Aqueous Orange is a highly concentrated citrus based blend of solvents and powerful surfactants will safely remove oils, greases etc from many hard surfaces. Designed to replace hazardous solvents such as white spirit and paraffin. It can be diluted with water for maximum economy and its micro-emulsion formula offers the benefits of both water based economy with solvent based efficiency. Contains biodegradable surfactants which enable it to break down naturally after disposal. Non-toxic, contains no CFCs. Negligible VOC. Non-flammable. Non-hazardous for easy waste disposal. Can be used as a safer, environmentally friendly alternative.



Size	Order Code
1ltr	-2800A
5ltr	-2810B
20ltr	-2820C



Size	Order Code
5ltr	-2910B
20ltr	-2920C



Size	Order Code
5ltr	-2610B
20ltr	-2620C

SITESAFE

Trike-free Contact Cleaner

**CCA500C
Electrical Contact
Cleaner Spray -
Trike-free**

Suitable for cleaning and degreasing delicate components such as those used in electrical equipment. It can be used on most surfaces and will not effect PCBs, delicate plastics or painted surfaces. Non-corrosive. It contains only solvents which are permitted under the Montreal Protocol.

NEW



Product Number	Size	Order Code
CCA500C	500ml	-3120K

Anti-Static Foam Cleaner

FCA500

This cleaner is recommended for the everyday cleaning of electronic and electrical equipment.

It removes stubborn stains, nicotine, grease and general grime build-up from plastic, formica, leatherette, ceramics, glass, paintwork or any other non-porous hard surface. Ideal for use in offices, canteens, banks, schools, kitchens, washrooms and many other problem areas. It has been formulated from surfactants and solvents which are safe to use on most surfaces.

Size: 500ml aerosol.

NEW




Container Type	Size	Order Code
Aerosol	500ml	-3180K

SOLENT MAINTENANCE Cleaner Spray

SC1-500B

Industrial Rapid Dry

Solent Rapid Dry Solvent Cleaner is supplied in a large 500ml aerosol. The product is formulated to quickly penetrate grease, oil and general soiling from metal/electrical components and precision parts. The formulation rapidly evaporates leaving a clean, dry surface. Very effective at temperatures ranging from -5°C to 30°C. Safe on most plastic components. Will soften some lacquers. If in doubt about suitability test on a scrap component or a small area before general application. Size: 500ml.



Product Number	Size	Order Code
SC1-500B	500ml	-0100K

Foaming Spray

SC5-500B

Cuts through grease, dirt, oil and general soiling, contains no silicones. Ideal for non-porous surfaces. 1000+1 uses in the home, industry, garage or factory. Size: 500ml aerosol.



Container Number	Size	Order Code
SC5-500B	500ml	-0180K

CLEANER SPRAYS

Cleaner Spray

SC2-500C

**Electrical Contact
Cleaner Spray - Trike-free**

An effective solvent based cleaner. The product is formulated to remove oil, grease and carbon dust from electrical switch gear and electronic components. It is safe on most common plastic parts, but will attack lacquer finishes and coatings. If in doubt about suitability, trial the product on a scrap sample first before general application. The product is propelled from the aerosol by CO₂ carbon dioxide gas (non-flammable). Electrical Switch Cleaner fluid is flammable. Always ensure power is switched off before applying this product to electrical equipment.



Product Number	Size	Order Code
SC2-500C	500ml	-0120K

**Multi-Purpose
Oil Spray CO₂**

SM3-500C

Excellent general-purpose lubricant. Clean, clear fluid suitable for domestic and industrial use. No reclaimed oil content. Formulated with strong anti-rust additives. No CFCs. No Silicone. No added extending solvent. Density: 0.862. Pour Point: -9°C. Flash point base oil: 214°C. Kinematic visc at 40°C: 20.9. Aniline point: 101°C.



Product Number	Aerosol Size	Order Code
SM3-500C	500ml	-0440K

Lubricants & Chemical Products

GROUP 732 MAINTENANCE SPRAYS & LUBRICANTS

KENNEDY Air Lube Oil
QUALITY INDUSTRIAL TOOLING

Excellent air release quality, low foaming ability and resists clogging. Contains anti-rust and anti-wear additives. Extremely resistant to water absorption and can be mixed with all mineral oil based lubricants without draining the system. Can be used on air tools.
ISO Grade VG22.



Container Type	Size	Order Code
Poly Bottle	500ml	-8000K

Multi-Purpose Oil Spray

General-purpose oil spray with anti-rust additives for excellent all-round performance. Ideal for lubricating locks, hinges, bicycle chains and pedals, lawn mowers, window slides, car aerials and sewing machines. Clean formulation suitable for domestic use and industrial use. CFC-free.



Container Type	Size	Order Code
Aerosol	200ml	-7820K
Aerosol	415ml	-7840K

CarPlan Car Care

Super De-Icer

Melts ice fast. Operates at -15°C . CFC-free.



For Zinc Galvanising Spray
See Group **721**

Product	Size	Order Code
De-icer	300ml	-2500K

Lubricants & Chemical Products

SITESAFE Penetrating Spray

POA500

Penetrating oil for dismantling, lubricating and cleaning. This oil displaces water leaving a hydrophobic coating to protect surfaces from corrosion. It penetrates threads and crevices to release and lubricate delicate mechanisms, pivot points and sliding surfaces whilst degreasing hard surfaces.

Size: 500ml aerosol.



NEW

Container Type	Size	Order Code
Aerosol	500ml	-3400K

SOLENT De-ionised Water DW25

For use in lead-acid car batteries. Also suitable for domestic appliances such as steam irons and steam cleaners. Avoids problems caused by scaling. Can be used as a final rinse in car washing to avoid 'spotting'. Also suitable for rinsing scientific glassware.



Size	Order Code
25ltr	-4250K

ACTION CAN Maintenance Liquid

AC-90

Displaces water, starts wet engines, penetrates rust, protects from corrosion, lubricates and stops squeaks. Silicone free, electrically non-conductive and can be used on or near electrical components, motor circuits etc, without affecting insulation or causing short circuits. Supplied in aerosols that use no CFCs and are ozone friendly or in screw top metal cans and drums. **Does Not Contain Kerosene*, Paraffin* or Naphtha*.** (*These products are used by some other maintenance sprays or water displacing sprays but are associated with skin drying and irritations.)



Product Number	Size	Order Code
Aerosol	250ml	-0050K
Aerosol	500ml	-0180K
Can	5ltr	-0200K
Drum	25ltr	-0250K
Applicator		-0500K



SOLENT MAINTENANCE Penetrating Spray

SM1-500B

Rapidly penetrates into rust and corroded fittings. Allows easy release and dismantling of fittings exposed to heat and great pressure. Can be used on wet metal components, does not contain Silicone, CFCs or Chlorine. Lubricates threads during release procedure, 30% less dense than water.

Size: 500ml aerosol.



Product Number	Size	Order Code
SM1-500B	500ml	SOL-732-0400K

Anti-Rust Protection Spray

SP1-500B - Green

Solent Green Moisture Guard is a soft thin film moisture/corrosion protective coating. Packed in a large 500ml aerosol. The coating has a slight green colouring which clearly indicates treated areas. Ideal for longer term moisture/ corrosion protection of machined components/ moulding dies and tools. Removed easily with Solent Industrial Cleaner, part number SC1-500B.

Size: 500ml aerosol.



Product Number	Size	Order Code
SP1-500B	500ml	SOL-732-0600K

Heavy Duty Anti-Rust Protection Spray

SP2-500B

Solent Heavy Duty Anti-Rust Protection Spray is supplied in a large 500ml aerosol. It is a high performance corrosion inhibitor. The product is sprayed directly onto the surface to be protected. Clear in colour with a faint yellow trace to identify treated surfaces. The film has self-healing properties and is easily removed with solvent cleaners. The coating will resist moisture, acid and alkali fumes. The film does not contain silicone or halogens. Corrosion protection periods vary with environmental conditions. Typical interior protection in the UK in excess of two years. Product can be re-applied should conditions require it.



Product Number	Size	Order Code
SP2-500B	500ml	SOL-732-0620K

Copper Grease Spray

SM7 500B - With Graphite

Components subjected to great heat and pressure during their operating life can easily be dismantled if Copper Grease is applied during assembly. Grease melts at high temperatures and disappears, but copper stays put. e.g. to lubricate the threads on exhaust assemblies etc. Copper grease spray is particularly effective on commercial and passenger vehicle braking systems. Extra heavy duty copper grease with graphite. High copper content - effective up to 1100°C. No lead content, no CFCs, no Silicone, no Chlorinated content. Fitted with directional spray button for precision application. Also ideal for boiler fittings that are subjected to high temperatures.



Product Number	Size	Order Code
SM7-500B	500ml	SOL-732-0520K

Maintenance Spray

SM4-500 'M4 Plus'

Lubricates: High performance mineral oil based lubricant with PTFE. **Displaces Water:** Helps start damp engines. **Penetrates:** Allows release of rusty fixings. **Cleans & Protects:** Cleans metal surfaces and prevents rusting of treated parts. Does not contain naphtha, kerosene or paraffin which are all associated with operator skin dryness, cracking or dermatitis. CO₂ non-flammable propellant. Does not contain silicone. Electrically non-conductive at normal ranges found in the home. Care must be taken if used on some electrical plastic components where 'crazing' may occur.



Product Number	Size	Order Code
SM4-500C	500ml	SOL-732-0460K

SITESAFE

Leak Detector Spray

LDA500

For checking for the most minute leaks in any gas or air pressurised systems including commercial vehicle air brakes and pressure vessels. Contains no alcohols or solvents, is not caustic and contains a rust inhibitor. Spray directly onto the suspect area using the extension tube and examine for bubbling which will indicate leakage.

Size: 500ml aerosol.



Container Type	Size	Order Code
Aerosol	500ml	SSF-732-3340K

Lubricants & Chemical Products

SOLENT MAINTENANCE *Flaw Inspection System*

Fast reliable method for visually inspecting and spot-checking surfaces of welds, exotic alloys or standard metals, highly stressed structural members, critical castings, shafts, gears, spindles, and any other hard part where identification of surface flaws is essential. Detects flaws such as cracks, pin holes, welding laps and porosity either during manufacture or on-site. A three part system. **SFD-501C** is a cleaner. **SFD-502C** is a dye penetrant. **SFD-503C** is a developing fluid that reacts with the dye in **SFD-502C** to show small cracks in the weld. Each part supplied in an ozone friendly 500ml aerosol.

BIG VALUE 500ml Cans!



Flaw Detector Cleaner Spray

SF1-500B
Quick drying, powerful solvent for cleaning surfaces prior to testing. Removes contaminants including oils, greases and grime.

Product Number	Size	Order Code
SF1-500B	500ml	-0240K

Flaw Detector Dye Penetrant

SF2-500B
Highly sensitive red dye, for use when detecting flaws on metal components under normal lighting conditions.

Product Number	Size	Order Code
SF2-500B	500ml	-0260K

Flaw Detector Developer

SF3-500B
White film to highlight any faults which have been detected when using Flaw Detector Penetrant. The product should be removed using Flaw Detector Cleaner Spray once cracks have been found and marked.

Product Number	Size	Order Code
SF3-500B	500ml	-0280K

Leak Detector Spray

SL1-400A
A specially formulated, high performance, white fluid, designed to identify even the smallest gaseous leak. Applies a thin uniform film of surface active agents which accurately identify any leak or bleeding of joints, bubbles in the applied film indicate the location of the leak. Propelled by compressed air - will not give a false reading if mechanical sensing equipment is used. Suitable for use with most common gases including compressed air, acetylene, butane, propane, chlorine, hydrogen and natural gas.



Product Number	Size	Order Code
SL1-400A	400ml	-0340K

Welders Anti-Spatter Spray

SW1-400C
Solvent based coating that is applied to metal before welding. During welding small blobs of molten metal fall either side of the weld. These blobs are called spatter, this coating is applied before welding and prevents the spatter from sticking to the metal. CO₂ gas propelled aerosol. Totally non-flammable. Silicone free and easily removed with solvents prior to galvanising or painting.



Product Number	Size	Order Code
SW1-400C	400gm	-0840K

Maintenance Welders Anti-Spatter Fluid

Reduces the risk of joint puddling and greatly reduces preparation time prior to final painting. Does not affect any subsequent galvanising or painting operations. Evaporates under normal weld temperatures. Dichloromethane and silicone-free. Non-flammable, non-toxic, non-corrosive and biodegradable.



Size	Order Code
5ltr	-9300K
20ltr	-9310K

Silicone Release Spray

SR2-500B - Heavy Duty
Heavy duty silicone lubricant and release agent. Formulated with a high silicone content. The product is suitable for a wide range of uses. SR2-500B is a dry non-oily, non-greasy product. Water clear with no odour.
Size: 500ml aerosol.



Product Number	Size	Order Code
SR2-500B	500ml	-0720K

Silicone Release Spray

SR1-500B - for Plastics & Rubber
Heavy duty silicone lubricant and release agent. Formulated with a high silicone content. The product is suitable for a wide range of uses. SR1-500B is a dry non-oily, non-greasy product. Water clear with no odour.
Size: 500ml aerosol.



Product Number	Size	Order Code
SR1-500B	500ml	-0700K

Mould Release Dry Film PTFE Lubricant

SR3-500B
Mould Release PTFE Dry Film is a micro-thin surface coating that is used to coat the inner surfaces of injection moulding tools/dies, thus enabling easy component release. The coating will not bridge complex mould profiles and will not interfere with precision fits. The applied PTFE film will not transfer to the moulded item. The product can also be used in any location that requires a dry slip surface such as production line slides, tracks or tables.
Size: 500ml aerosol.



Product Number	Size	Order Code
SR3-500B	500ml	-0740K

Lubricants & Chemical Products

SOLENT MAINTENANCE™ Drive Belt Dressing Spray

SB1-500B

Reduces slip on drive belts and helps to stop belt squeal. Can be used on drive belts exposed to weather, ideal for farm machines, alternator drive belts and fan belts. Helps to stop cracking and extends belt life. Can be used on rubber, leather, canvas and most types of synthetic belts.

Size: 500ml aerosol.



Product Number	Size	Order Code
SB1-500B	500ml	SOL-732-0060K

SOLENT MAINTENANCE™ Chain & Drive Spray Lubricant

SM6-500B

Formulated to have a wide range of operating uses. Ideal lubricant for moving chains under extreme load and for chains not fitted with automatic lubrication nor running in oil baths. Formulated with a 'tacky additive' to resist 'throw off' on rapidly moving chains and drives. Ideal for fork trucks/conveyer systems/motorcycle chains. Can be used as a general-purpose lubricant for items subjected to extreme weather conditions. Can be used as a slideway lubricant for machine tools. Strong anti-rust qualities. Does not contain silicone or CFCs.

Size: 500ml aerosol.



Product Number	Size	Order Code
SM6-500B	500ml	SOL-732-0500K

SOLENT MAINTENANCE™ EP Open Gear Spray

SM8-500B - With Molybdenum

Solent EP Open Gear Spray lubricant is a premium extreme pressure lubricant packed in a 500ml aerosol. Based on molybdenum disulphide anti-wear additives. Suitable for lubricating all open gears where a thin film is specified. Suitable for temperatures as low as -40°C to +100°C.



Product Number	Size	Order Code
SM8-500B	500ml	SOL-732-0540K

SHERWOOD QUALITY CUTTING TOOLS Sherwood STD

Spray

400ml foam aerosol penetrates and is able to cling to normally inaccessible areas and moving cutting edges.



Lubricant Type	Size	Weight per 12	Order Code
Spray	400ml	5.1kg	-4000K

SHERWOOD QUALITY CUTTING TOOLS Sherwood STD

STD Tapping & Drilling Lubricant

The Sherwood™ STD Tapping & Drilling foamcut 400ml aerosol spray (non-flammable CO₂ propellant). Foam aerosol penetrates and is able to cling to normally inaccessible areas and moving cutting edges. Can be used on yellow metals without the risk of staining.



NEW

Lubricant Type	Size	Order Code
Foam	400ml	-4200K

SITESAFE Wire Rope Lube Spray

WRS500

This spray lubricant has been formulated to lubricate and protect wire ropes from corrosion. It has good penetrative qualities to lubricate deep into the core of ropes, displacing water and increasing the life of the rope. 'Hi Tack' additives provide excellent adhesion to metal and reduced 'filing off' during use. Size: 500ml aerosol.



NEW

Container Type	Size	Order Code
Aerosol	500ml	SSF-732-3450K

Sherwood STD Liquid (Poly Bottle)

Low odour liquid. Coats the cutting edge with a film of EP additives.

Sherwood STD Compound

Low melting point paste maintains a continual lubricant feed to the cutting edge. Hand applied. Suitable for the most severe cutting operations.



Lubricant Type	Size	Order Code
Liquid	500ml	-4020K
Liquid	5ltr	-4060K
Compound	500g	-4040K

Pistol Grip Can Holder & Sprayer

For use with standard diameter 300 - 415ml aerosol containers. Protects hands from cold cans and chemical contact.



For Aerosol Size	Weight each	Order Code
300 - 415ml	55g	KEN-732-9500K

Chain & Drive Spray

CCA500

This product is a special blend of quality oils, greases and solvents, designed to lubricate and protect all types of cables and slow moving chains. It penetrates quickly into the centre of cables providing excellent protection to the core. It will not sling off, drip or dry out even in adverse conditions. It will also penetrate chain rollers and links enabling smoother working and reduce friction, wear and the possibility of seizure. Size: 500ml aerosol.



NEW

Container Type	Size	Order Code
Aerosol	500ml	SSF-732-3500K

GROUP 734 MARKERS - PAINT

KENNEDY Line
QUALITY INDUSTRIAL TOOLING **Markers**

For use on car parks, factory/ warehouse floors, playgrounds, sports fields, tennis courts, leisure centres and road surfaces.
For stencils, line or free hand marking. CFC free formula, contains no lead additives. Fully compatible with major brand applicators.
Size: 750ml can.



Please note, colours are for guidance only.

Colour	Application	Order Code KEN-734
White	General Marking	-6020K
Yellow	Hazard/ Caution	-6040K
Blue	Mandatory	-6060K
Red	Prohibition/ Danger	-6080K
Green	Safe Condition/ Direction	-6100K
Orange	Hazard/ Caution	-6120K
Black	Deletes Existing Lines	-6140K
Grey	Deletes Existing Lines	-6160K

Line Marking Gun

Manufactured from reinforced nylon. For offering trigger action to line marking spray cans, giving improved comfort during prolonged use.



Description	Order Code KEN-715
Line Marking Gun	-6200K

SOLENT Line Markers

Solent line marker is formulated with a high percentage of colour pigment which gives a bright easy to see finish and resists wear. Durable rapid drying formulation. Suitable for marking out car parks, factory/warehouse floors, playgrounds, sports fields, tennis courts, leisure centres and road surfaces. Can be used with stencils, line or free hand marking. CFC-free formula contains no lead additives. Fully compatible with major brand applicators. Each aerosol is supplied with an extra spray nozzle to ensure good spraying performance during the life of the aerosol.
Size: 750ml can.



Colour	Application	Order Code SOL-734
White	General Marking	-6020K
Yellow	Hazard/ Caution	-6040K
Blue	Mandatory	-6060K
Orange	Chemical/ Storage	-6120K

Industrial Paint Markers



Designed for countless metal marking applications. Can be used for marking greasy, rusty, or new metal surfaces. Also suitable for marking glass, plastic, wood, ceramics etc. Ballpoint nozzle cap will only allow ink flow when applied and pressed to the workpiece - ink cannot be spilt from the cap unintentionally. One head can be interchanged from differing inks and bottles. Can be refilled from one litre bulk refills of the specially formulated ink.



Please note, colours are for guidance only.

Colour	Size	Order Code KEN-734
Yellow	46ml	-3020K
White	46ml	-3040K
Blue	46ml	-3060K
Green	46ml	-3080K
Black	46ml	-3100K
Red	46ml	-3120K
Orange	46ml	-3140K

Ink Refill Cases

Colour	Size	Weight each	Order Code KEN-734
Yellow	1ltr	1.4kg	-3210K
White	1ltr	1.4kg	-3230K

Ballpoint Heads - Nickel Plated Steel

Material	Ball Size	Order Code KEN-734
Nickel	2.4mm	-3500K

Permanent Markers

Designed for use on all surfaces. Waterproof, low solvent content. Xylene-free.



Colour	Pack Quantity	Order Code KEN-734
Black	10	-5020K
Blue	10	-5060K
Red	10	-5040K
Green	10	-5070K

PACK OF 10

STUARTS Micrometer Paste

Oil-based paste for indicating high spots on machine bearings, machine tool beds etc. Easily removable with methylated spirit.



Colour	Pack Size	Order Code MIR-734
Blue	28g Tube 38g Tin	-8810B -8800A

Lubricants & Chemical Products

SOLENT LUBRICANTS **Lithium Grease**



High Load EP No.2: A lithium-based heavy duty grease, with high resistance to water and powerful anti-wear agent.



Pack Type	Size	Order Code
Cartridge	400g	-6100K
Tub	3.00kg	-6105L
Pail	12.5kg	-6110M

SOLENT LUBRICANTS FOR FOOD **Food Safe Lubricating Oil**

This lubricant is completely clear, odourless and food safe, it contains no mineral hydrocarbons and meets with **FDA** and is **NSF H1 registered**.

It is a hydrophobic oil and therefore does not take in water, providing a barrier between water condensation and metal surfaces. This versatile lubricant can be used on sliding and rolling element bearing surfaces, metal, wood and plastics. Non-flammable. Non-Toxic. Anti-corrosive. Safe for use at temperatures from -60° to +260°C.



Pack Size	Order Code
500ml	-5960G
5 litre	-5970H

SOLENT LUBRICANTS FOR FOOD **Synthetic Grease**



The latest generation food-safe grease. Constructed using pure non-toxic synthetic base oils, combined with PTFE and a complex mix of antioxidant and EP packages, making it a versatile tool for use in many applications for many industries. Completely resistant to salt water and high humidity environments. Dielectric and can be used to protect electrical equipment from ingress of water. Lubricates bearings, chains and sliding surfaces including plastic bearings and runners. Has a wide temperature operating range —40°C to 340°C. Grease clean food safe lubricant. Non-melting.



Pack Size	Order Code
100g	-6200A
400ml	-6210B

Food Safe White Grease

Intended use for lubrication of bearings, slides and all delicate mechanisms used in the food manufacturing/processing industry. Maximum operating temperature 150°C with excellent load carrying capacity and water resistance. FDA Compliant. NSF H1 Registered. Non Toxic.



Pack Size	Order Code
400ml	-5900A

SOLENT LUBRICANTS FOR FOOD **Food Safe Penetrating Oil**

Penetrating oil for dismantling, lubricating and cleaning. This odourless oil is tasteless and displaces water leaving a hydrophobic coating to protect surfaces from corrosion. It penetrates threads and crevices to release and lubricate delicate mechanisms, pivot points and sliding surfaces whilst degreasing hard surfaces. Can be used as a light lubricant. **FDA Compliant.** **NSF H1 registered.** Food Safe. Synthetic. Translucent. Tasteless water white fluid. Non-Toxic. Anti-corrosive.



Pack Size	Order Code
500ml	-5930D

Food Safe High Tech Grease

Food safe synthetic PTFE grease is a fully synthetic translucent non-melting grease that allows fluid to penetrate into machine parts before setting to a No. 2 rated grease. It protects and lubricates with a non-toxic anti corrosive shield for use on sliding and rolling element bearing surfaces, metal, wood and plastics. Manufactured from non-toxic lubricant ingredients listed by the **FDA** and is **NSF H1 registered**. Totally salt or fresh water resistant to be used inside and out on a range of machinery in temperatures ranging from -40°C to +340°C.



Pack Size	Order Code
500ml	-6220C

Food Safe Silicone Grease

A versatile silicone grease for operation in extremes of high and low temperature. Can also be used on food product applications or where water repellent properties are of prime importance as it offers excellent physical performance and is **NSF H1 registered**. Non-melting, water repellent, odourless, non-toxic, low volatility. High Dielectric. Resistant to oxidation. Thermally stable ozone resistant. Minimal effects on rubbers, plastics and metals. Unaltered by UV light.



Pack Size	Order Code
100g	-6250D
400ml	-6260E
500g	-6270F

Lubricants & Chemical Products

GROUP 741 SECONDARY CONTAINMENT STORAGE

SOLENT™ Drum SPILL CONTROL Pallets

Secondary containment systems for 205 litre drums using tough 100% chemical resistant polyethylene. Ramps and ramp extenders allow easy handling of drums onto spill pallets.

- SOT-8:** 1 drum tray, 50 litres.
- SDP-2:** 2 drum, 240 litres.
- SDP-4:** 4 drum, 230 litres.
- SDP-4L:** 4 drum in-line, 251 litres (not illustrated).



SDP-2



SOT-8

SDP-4

CARRIAGE EXTRA AT COST

Product Number	Dimensions (cm)	Weight each	Order Code SOL-741
SOT-8	87 x 87 x 19	3.0kg	-5840T
SDP-2	122 x 82 x 33	34.0kg	-5110A
SDP-4	128 x 128 x 27.5	25.0kg	-5120A
SDP-4L	248 x 64 x 29	43.0kg	-5120L

Drum Racking Conversion Pallet

For converting pallet racking into banded storage. Supplied as a complete unit comprising of sump and grid.

- SPBC-4:** 300 litre. Weight 26kg.



CARRIAGE EXTRA AT COST

Product Number	Dimensions (cm)	Order Code SOL-741
SPBC-4	131 x 131 x 210	-5880R

Drum Funnels

Fit on to 205 litre drums to allow waste or excess product to be poured back into the drum. Offers optimum stability and safety. Designed to be left in-situ until the drum is full. Spill capacity - 20ltr.



Product Number	Diameter	To Fit Drum	Description	Order Code SOL-741
SF20L	640mm	205ltr	Funnel with Lid	-5650X

SOLENT™ Plant SPILL CONTROL Nappy



For containment of leaks and spills from equipment on construction sites. The Nappy is water permeable and absorbs oil at a rapid speed, so no overflowing drip pans in wet weather. Each Nappy absorbs up to 18 litres of oil and retains strength when saturated. Designed for use outdoors in rain and harsh conditions to provide containment of oil and fuel spills from generators, kangos and other site machinery.

- **Super Absorbent** - Contains and absorbs oil and fuel spills.
- **Self Draining** - Filters and drains rain water discharging clean water only.
- **Mobile** - Lightweight and portable.
- **Hardwearing** - Robust in its construction with an impermeable base.
- **Bespoke Nappies** - Other sizes and colours can be made to order.
- **Other sizes/colours made to order** - Standard size is one metre x 0.685m. Other dimensions and colours can be made to order.



Nappy Liners

Replaceable liners designed to extend the life of the plant nappy. Plant nappy liners should always be used from the start to get the maximum mileage out of your plant nappy.



Product Number	Description	Dimensions	Absorbency	Order Code SOL-742
PN100	Plant Nappy	1m x 68cm	4.5 litres	-7300A
PN100	Nappy Liner	1m x 68cm	4.5 litres	-7310B

Absorbent Rolls

Keep floors and work surfaces safe and dry. Can be used as a walkway for moderate traffic.

Size: 970mm x 44m



Price per Dispenser Box

Absorbency per Roll	Box Qty	Order Code SOL-742
260 litres	1	-3530V

Lubricants & Chemical Products

SOLENT *Work Floors*
SPILL CONTROL

Secondary containment system for use as a dispensing or mixing station. Tough chemical-resistant 100% polyethylene. Low profile. Optional ramp. Large sump capacity to hold spills. Removable heavy duty grates for easy cleaning.

- SW-2:** 2 drum, 150 litre. Weight 20kg.
- SW-4:** 4 drum, 300 litre. Weight 41kg.
- SW-4IL:** 4 drum, in-line, 300 litre. Weight 51kg.
- SWR-1:** Ramp. Weight 13.5kg.

Ramp sold separately. **SWR-1**



SW-2



Ramp sold separately. **SWR-1**

SW-4

Product Number	Dimensions (cm)	Order Code
SW-2	126 x 86 x 15	-6410A
SW-4	166 x 126 x 15	-6420B
SW-4IL	260 x 90 x 15	-6421C
SWR-1	122 x 65 x 16	-6520R

Containment Bunds

Comply with the legislative requirements for storing 25 litre drums externally, in warehouses or in workshops.



SWB4

Product Number	Load Capacity	Spill Capacity	Order Code
SWB1	1 x 25 ltr	27.5 ltr	-6810A
SWB2	2 x 25 ltr	27.5 ltr	-6820B
SWB4	4 x 25 ltr	100 ltr	-6840D

'PuttySeal' Pre-mixed Sealing Putty

For plugging holes in containers or pipes.



Product Number	Pack Size	Box Qty	Order Code
PuttySeal	1kg	1	-2880R

Drum Dolly

Mobile contained handling and dispensing system for 205 litre drums. Simple strap on barrels. Light and easy to handle. Large 10 inch wheels make for easy manoeuvrability. Tough chemical resistant 100% polyethylene. Weight 37kg.



CARRIAGE EXTRA AT COST



Product Number	Containment Volume	Order Code
SDT-230	230 Litres	-5500T

Bench Tray

Secondary containment system for use as a dispensing or mixing station. Tough chemical resistant 100% polyethylene.

SW-T1: Bench tray, 9.5 litre. Weight 3.0kg.



Product Number	Dimensions (cm)	Order Code
SW-T1	65 x 55 x 7	-6530T

Drain Covers

- SDC614:** Mouldable clay based. 61 x 40cm.
- SDC101N:** Reusable black neoprene. 1m x1m.
- SDC616P:** Reusable polyurethane. 61 x 61cm.
- SDC919P:** Reusable polyurethane. 91 x 91cm.



Product Number	Dimensions	Box Qty	Order Code
SDC614	61 x 40cm	4	-3020C
SDC101N	1m x 1m	1	-3000A
SDC616P	61 x 61cm	1	-3030D

Lubricants & Chemical Products

GROUP 742 SPILL RESPONSE



Solent Plus

Solent has extended their range of spill control products with the new Solent Plus range. Developed with the environment in mind to absorb more with fewer products giving less waste.

More absorption + Less Product = Less waste.

All packaging is clearly branded Solent Plus to assure you of the quality product inside. All absorbent products are colour coded to easily identify the correct product to use.

- Maintenance - Black/Grey
- Oil Only - White.
- Chemical - Yellow.

Absorbent Rolls

Also uses the same bonded and 2 ply technology as the Solent Plus pads. Available in 500mm or 900mm widths. Cross perforated to allow the roll to be easily split to maximise versatility and minimise waste. Ideal to cover large areas of spillage quickly.

Use a length as a bench cover when working with oily components.

40 metre rolls.



Type	Width (mm)	Absorbency Per Roll	Pack Qty	Order Code SOL-742
Maintenance	500mm	80.0 ltr	1	-4100C
Maintenance	900mm	144.0 ltr	1	-4110L
Oil Only	500mm	80.0 ltr	1	-4400T
Oil Only	900mm	144.0 ltr	1	-4410V

Absorbent Pads

Bonded construction ensures the pads do not fall apart when wet. Highly absorbent 2 ply technology using a layer of absorbent material plus a spun bond layer. Each pad is perforated in the centre to allow the pad to be easily split in half to maximise versatility and minimise waste.



Type	Size (mm)	Absorbency Per Pad	Box Qty	Order Code SOL-742
Maintenance	500 x 400	0.80ltr	100	-4010J
Oil Only	500 x 400	0.80ltr	100	-4310R
Chemical	500 x 400	0.80ltr	100	-4610A

Absorbent Socks

Used where liquids need to be contained and absorbed. 75mm diameter socks available in 1.2 metre or 3.0 metre lengths. Woven outer case allows fluids to pass through easily and allows expansion of absorbent. Can be moulded to fit around machinery and across uneven floors. 100% polypropylene for quick fluid absorption and retention.



Type	Length (Metres)	Absorbency Per Roll	Pack Qty	Order Code SOL-742
Maintenance	1.2	4.50ltr	20	-4170N
Maintenance	3.0	11.25ltr	8	-4180P
Oil Only	1.2	4.00ltr	20	-4470X
Oil Only	3.0	10.00ltr	8	-4480Z
Chemical	1.2	4.00ltr	20	-4770H
Chemical	3.0	10.00ltr	8	-4780K

Lubricants & Chemical Products

SOLENT Drum Top 'M'

Maintenance Absorbent

Pre-cut to fit 56cm diameter top standard drums. Will absorb any drips from taps, fluid pumps etc.



Price per Box of 5		
Dimensions (mm)	Weight each	Order Code SOL-742
560 - diameter	0.8 ltr	-0620B

Absorbent Cushions

Absorb drips under leaking pipes or machines. Box quantity: 20.



Price per Box				
Application	Size (mm)	Absorbency per Cushion	Box Qty	Order Code SOL-742
Maintenance	300 x 350	6.5 litres	20	-2610F
Oil	300 x 350	6.5 litres	20	-2620G

Booms

Used to contain the spread of oil and absorb oil spills from water. Fitted with clips, multiple three metre booms can be clipped together and yet still be handled easily.



Price per Box			
Size (mm)	Absorbency per Boom	Box Qty	Order Code SOL-742
200 x 3m	75.0 litres	4	-0840L
120 x 3m	45.0 litres	4	-0820J

SOLENT™ Absorbent Pads
SPILL CONTROL™ Pads

Maintenance

Designed to contain non-aggressive liquids and chemicals whether oil or water based.



Price per Box

Size	Absorbency per Pad	Box Qty	Order Code SOL-742
500 x 400	0.42 litres	25	-2840H
500 x 400	0.42 litres	50	-2850J
450 x 500	0.80 litres	100	-2810J
500 x 400	0.42 litres	200	-2860K

Oil

Capable of removing and containing oil based liquids from water. The products will float on water and only absorb the oil. Easy to deploy and recover, highly absorbent. Float, even when oil saturated. Non-toxic, non-reactive and fast-acting. Quantities of 50 are supplied in dispenser boxes.



Price per Box

Size	Absorbency per Pad	Box Qty	Order Code SOL-742
500 x 400	0.66 litres	50	-3420H
500 x 400	1.30 litres	100	-3310R
500 x 400	0.65 litres	200	-3360S

Non Linting

420 x 500	1.05 litres	100	-3380F
-----------	-------------	-----	---------------

Chemical

Designed to contain all chemicals including most of the aggressive types. Non-toxic, non-reactive. Typical liquid types: acids, caustics, oils, petroleum and solvents.



Price per Box

Size (mm)	Absorbency per Pad	Box Qty	Order Code SOL-742
Normal			
500 x 400	0.84 litres	100	-2760A

Socks

Highly absorbent and are ideal for surrounding machines or spills.

Maintenance

Designed to contain non-aggressive liquids and chemicals whether oil or water based.



Price per Box

Size	Absorbency per Sock	Box Qty	Order Code SOL-742
80mm x 1.0m	3.7 litres	50	-2960M
80mm x 1.2m	4.5 litres	20	-2970N
80mm x 2.0m	7.5 litres	10	-2975B
80mm x 3.0m	12.5 litres	8	-2980P

Oil

Capable of removing and containing oil based liquids from water. The products will float on water and only absorb the oil. Easy to deploy and recover, highly absorbent. Float, even when oil saturated. Non-toxic, non-reactive and fast-acting.



Price per Box

Size	Absorbency per Sock	Box Qty	Order Code SOL-742
80mm x 1.2m	4.0 litres	20	-3610X
80mm x 3.0m	10.0 litres	8	-3820Z

Chemical

Designed to contain all chemicals including most of the aggressive types. Non-toxic, non-reactive. Typical liquid types: acids, caustics, oils, petroleum, solvents.



Price per Box

Size	Absorbency per Sock	Box Qty	Order Code SOL-742
80mm x 1.2m	4.0 litres	10	-1410E

SPILL RESPONSE

Perforated Rolls

Maintenance

Keep floors and work surfaces safe and dry. Can be used as a walkway for moderate traffic.



Price per Box

Size	Absorbency per Roll	Box Qty	Order Code SOL-742
500mm x 50m	75 litres	1	-2900C
900mm x 50m	145 litres	1	-2910L

Oil

Non-linting perforated rolls in dispenser box. Suitable for oil. Use as a pad, roll, wipe or folded as a thin sock.



Price per Box

Size	Absorbency per Roll	Box Qty	Order Code SOL-742
480mm x 22m	58.0 litres	1	-1370E

Chemical

Multi-format, perforated rolls in dispenser box. Use as a pad, roll, wipe or folded as a thin sock.



Price per Box

Size	Absorbency per Roll	Box Qty	Order Code SOL-742
Two Ply Heavy Absorption			
480mm x 44m	92.5 litres	1	-1310C
Single Ply Medium Absorption			
480mm x 88m	92.5 litres	1	-1360D

Lubricants & Chemical Products

Contain a range of absorbent products and disposal bags for dealing effectively and quickly with spills.

Spillkits are available for all three absorbent types: Maintenance. Oil Selective. Chemical.

REFILL PACKS ALSO AVAILABLE



Single Use Spill Kits

Kit supplied in a heat-sealed weatherproof bag make these kits ideal for multiple applications such as in service and delivery vehicles.

Contents:
6x heavy duty absorbent pads,
1x cushion,
1x disposal bag.



Absorbency Capacity:
10 litre per kit.

Product Number	Type	Order Code
SOK010	Oil	-5070B



Handy Bag Spill Kit

Contents:
1x printed carry handle bag.
3x socks (80mm x 1.2m).
8x pads (double weight).
1x disposal bag and tie.
1x instruction sheet.

Absorbency Capacity:
15 litres per kit.



Product Number	Type	Order Code
SMK015H	Maintenance	-5010A
SOK015H	Oil	-5020B
SCK015H	Chemical	-5030C



Pail Spill Kits

Portable and easy to store, handle and deploy. Contains absorbents from our maintenance, oil and chemical product ranges.

Contents:
1x plastic pail, 2x socks,
4x cushions, 20x pads,
2x disposal bags and ties,
1x instruction sheet.

Optimum Sorbent Capacity: 65 litres.
Weight: 9kg.



Product Number	Type	Order Code
SOK065P	Oil	-5320L
SCK065P	Chemical	-5330M



Shoulder Bag Spill Kits

Portable and easy to store, handle and deploy. Contains absorbents from our maintenance, oil and chemical product ranges.

Contents:
1x printed shoulder bag,
2x socks (3m x 8cm),
25x pads (double weight),
1x disposal bag and tie,
1x instruction sheet.

Absorbency Capacity:
50 litres.
Weight: 6kg.



Product Number	Type	Order Code
SOK050S	Oil	-5220H
SCK050S	Chemical	-5230J



Clear Bag Spill Kits

Portable and easy to store, handle and deploy. Contains absorbents from our maintenance, oil and chemical product ranges. Labour saving and versatile for an improved working environment and safer work areas.

Contents:
1x clear carry bag, 30x pads,
10x socks, 1x disposal bag and tie,
1x instruction sheet.

Optimum Sorbent Capacity:
70 litres per pack.
Weight: 12kg.



Product Number	Type	Order Code
SOK070CB	Oil	-6850B



Carry Bag Spill Kits

Contents:
1x printed cube bag. 2x socks (80mm x 3m).
15x pads (double weight).
1x disposal bag and tie.
1x instruction sheet.

Absorbency Capacity:
35 litres.



Product Number	Type	Order Code
SMK035Y	Maintenance	-5150S
SOK035Y	Oil	-5160T
SCK035Y	Chemical	-5170V



Lubricants & Chemical Products

SOLENT™ Wheelie Bin Spill Kits

Portable and easy to store, handle and deploy. Contains absorbents from our maintenance, oil and chemical product ranges. Fast absorbing, Strong construction. Cost saving, labour saving and versatile for an improved working environment and safer work areas.

120 Litre Kit

Contents:
1x wheeled bin, 6x socks (3m x 8cm),
5x cushions (30cm x 35cm), 50x pads (double weight),
1x caution tape, 4x disposal bags and ties,
1x instruction sheet.

240 Litre Kit

Contents:
1x wheeled bin, 5x socks (3m x 8cm),
10x cushions (30cm x 35cm), 120x pads (double weight),
1x caution tape, 4x disposal bags and ties,
1x instruction sheet.



CARRIAGE EXTRA AT COST

Product Number	Absorbency	Type	Order Code SOL-742
SOK 120B	120 litres	Oil	-5420P
SOK 240B	240 litres	Oil	-5460C
SCK 120B	120 litres	Universal	-5430Q

Audit Spill Cover

Spill kit Audit Covers are yellow, weatherproof PVC covers with elasticated cord to allow fitting over the top of a wheelie bin spill kit. Tamperproof tape fitted on the container and cover indicates whether any of the contents have been used. Depleted spill kits are classified as **ISO14001** non-conformity.



Product Number	Absorbency	Order Code SOL-742
AVC120	120 litres	-5440V

SPILL RESPONSE KITS

SOLENT™ Spill Response Kits

A selection of absorbent products and personal protection products in a bag/container held in one location for use in an emergency.

10ltr Holdall Spill Kit



25ltr Small Bin Spill Kit



50ltr Holdall Spill Kit

120ltr Wheeled Bin Spill Kit



240ltr Wheeled Bin Spill Kit



Contents:

All kits contain 1 pair of gloves and 1 pair of goggles. Absorbent socks are 1.2m long.

Absorption (Litres)	Container	Pads	Socks (1.2m)	Pillows	Drum Plug (1.2m)	Coverall Suit	Disposal Bags
10	Holdall	10	1	-	1x 1kg	-	2
20	Holdall	15	2	-	-	-	3
25	Bin	17	1	2	-	-	4
50	Holdall	35	3	3	-	-	5
120	Bin	75	9	8	-	1	10
240	Bin	200	12	10	-	1	10

Absorption (Litres)	Order Code SOL-742	Order Code SOL-742	Order Code SOL-742
	Maintenance	Oil Only	Chemical
10	-6100A	-6110B	-6120C
20	-6150D	-6160E	-6170F
25	-6300A	-6310B	-6320C
50	-6200G	-6210H	-6220J
120	-6350D	-6360E	-6370F
240	-6400G	-6410H	-6420J

Lubricants & Chemical Products

GROUP 780 HAND & SKIN CARE

SOLENT™ Beaded Hand Gel Cleanser - Lime
CLEANING & HYGIENE

Heavy duty citrus based degreasing and cleansing agent. Hard on grime yet kind to your skin. Unique lemon and lime formula combines nature's strength and fragrance. Ideally suited for industrial, household, workshop, outdoor, cleaning of hands. Now available in four sizes with suitable dispensing equipment.



Description	Size	Order Code	SOLENT-780
Cartridge	2ltr	-1002G	N/A
Tub	3ltr	-1003H	N/A
Poly-bottle	5ltr	-1005L	N/A
Pail	15ltr	-1015M	N/A
Pump dispenser for poly-bottle		-1125D	N/A
Dispenser - Bulkfill		-2210V	N/A
Cage only for 3ltr		-2300W	N/A

Description	Order Code	SOLENT-780
Tub Kit (1xTub, 1xCage, 1xPump)	-1140G	

Lubricants & Chemical Products

Reconditioning Cream - Professional

Replaces moisture loss after contact with contaminants, contains natural oils to keep skin moist. Size: 1 ltr.



Description	Order Code	SOLENT-780
Reconditioning Cream	-2100G	N/A

Orange Beaded Hand Gel/Cleanser

Non-toxic, citrus based beaded hand cleaner, cuts through the heaviest of industrial grease and grime quickly and easily. Removes stubborn grime, without damaging skin. Environmentally friendly, and contains no harsh chemicals. Removes oil, tar, grease, paint, ink, glue etc. Anti-septic and bactericidal. Protects against skin infection. Water rinsable, leaves no oily residue.



Size	Order Code	SOLENT-780
2.5ltr	-1202G	N/A

Dry Work Barrier Cream

Pre-work cream protects skin against dry substances, dry powders, oils or solvent-based liquids.



Size	Order Code	SOLENT-780
2.5kg	-2020B	

Liquid Hand Soap - Professional

Luxury peach soap leaves hands feeling clean, smooth and conditioned.



Type	Order Code	SOLENT-780
1ltr	-2600X	N/A
5ltr	-2610Y	N/A

Swarf Beater Hand Cleanser

Lime green coloured unperfumed gel soap. Easy to apply and quickly rinses off with water leaving no residue on the skin. Suitable for removing oil, grease, and general soiling. Handy 200ml tub size for easy carrying and storage.



Size	Order Code	SOLENT-780
200ml	-2540D	N/A

Wet Work Barrier Cream

Pre-work cream protects skin against water based liquid solutions, cutting oils, detergents, acids, coolants and foodstuffs.



Size	Order Code	SOLENT-780
1ltr	-2050D	
2.5kg	-2060E	

SOLENT™ **Lemon™ Beaded Hand Cleaner**

Naturally powerful heavy duty non-toxic, citrus-based beaded hand cleaner, designed to cut through the heaviest of industrial grease and grime quickly and easily. Contains thousands of polymer beads that combine to produce a high performance micro-pumice cleaning action that rapidly and easily removes stubborn grime, without damaging the skin. Combined with a citrus-based degreaser, that is environmentally friendly, and contains no harsh chemicals. Removes oil, tar, grease, paint, ink, glue etc. A deodorising lemon formulation leaves a pleasant lemon scent that eliminates oil and swarf odours, leaving the skin feeling fresh after use. Water rinsable - leaves no oily residue.

5ltr & 15ltr

NEW



Type	Size	Order Code
Poly Bottle	5 ltr	SOL-780
Pail	15 ltr	-0855L
		-0865M

Natural Beaded Hand Cleaner

Natural Beaded hand cleaner uses two types of scrubbing additives, wood flour to absorb grease/grime and poly beads to remove more stubborn soiling like tar, inks and paints. These combine to produce a dense cleansing lather to deliver a powerful solvent-free natural cleaning action that is gentle on your skin.

NEW



5ltr & 15ltr

Description	Size	Order Code
Poly Bottle	5 ltr	-1305L
Pail	15 ltr	-1315M

Hand & Skin Care System

The Solent™ Cleaning and Hygiene pouch hand cleanser/soap system uses 2ltr sealed pouch cartridges to minimise spillages and waste, this system helps to prevent cross contamination. A full range of barrier creams, sanitisers, soaps, beaded hand cleansers and afterwork reconditioning creams are available for use with the dispensers.

Professional Skin Care

- Blue Ocean Hair & Body Shampoo**
A mild non-alkaline, neutral formulation suitable and safe for use in the work place and leisure centres.
- Universal Barrier Cream**
A pre-work cream that protects your hands.
- Afterwork Reconditioning Hand Cream**
Replaces natural oils removed during a days work. Pouch size 2ltr. - Use with 2mm pump dispenser.

Description	Order Code
Blue Ocean Shampoo	-0820R
Universal Barrier Cream	-1950Q
Afterwork Cream	-1980T

Anti Bacterial Cleansers

- Anti Bacterial Soap**
Formulated from a blend of natural soap, conditioner and mild surfactants. Ideal for frequent use.
- Cool Gel Hand Sanitiser**
An alcohol based hand sanitiser kills any bacteria (effective against MRSA) yeast or moulds. Pouch size 2ltr. - Use with 2mm pump dispenser.

Description	Order Code
Anti Bacterial Soap	-2560F
Cool Gel Sanitiser	-2660J

Luxury Soaps

- Luxury Peach Soap**
Luxury Peach soap produces a rich creamy lather for effective hand cleaning. Lightly scented with a fresh peach fragrance.
- Gel Soap**
Pure golden, unperfumed gel soap suitable for all general hand cleaning uses. Pouch size 2ltr. - Use with 2mm pump dispenser.

Description	Order Code
Peach Luxury Soap	-2630A
Gel Soap	-2680L



Beaded Hand Cleaners

Solent™ Citrus Beaded Hand Cleaners
Citrus-based beaded hand cleaners. Pouch size 2ltr. - Use with 3mm pump dispenser.

Description	Order Code
Lemon Hand Cleaner	-0901F
Lime Hand Cleaner	-1001F
GT Hand Cleanser	-2550E

Dispenser Pumps

All creams, soaps and gels: use with 2mm pump.
All Beaded Hand Cleaners: Use with 3mm pump.

Description	Order Code
2mm Pump	-1160J
3mm Pump	-1150H



Lubricants & Chemical Products

GROUP 780 CLEANING PRODUCTS

SOLENT Wash & Wax
CLEANING & HYGIENE

High foam, high gloss vehicle shampoo. Mild formula, neutral pH, water based. Effectively lifts traffic film without harm to polished paintwork and trim. With foam boosters for fast removal of dirt and grease. High gloss wax finish. Can be used with hot or cold pressure washing systems or hand washing. Easy to handle container.



Type	Size	Order Code	
Poly Bottle	5ltr	-6500A	N/A
Plastic Drum	20ltr	-6510B	N/A

Traffic Film Remover Concentrate

Effectively removes dirt, grime, grease and tenacious traffic film from all vehicles. Suitable for cleaning chassis and bodywork on vehicles. Designed for high pressure washing with mechanical power wash systems. Concentrated formula can also be used to clean machinery, floors, walls, asphalt, will also remove copolymer waxes used in new car production.



Type	Size	Order Code	
Poly Bottle	5ltr	-6400A	N/A
Plastic Drum	20ltr	-6410B	N/A

Concentrated Hard Surface Cleaner/Degreaser

Can be diluted with up to 50 parts of hot or cold water. Rapidly breaks down grease and fat. Apply by hand scrubbing, mopping, power wash systems or mechanical floor scrubbing machines. Can be used on concrete floors, walls, paintwork, components etc.



Type	Size	Order Code	
Poly Bottle	5ltr	-6300A	N/A
Plastic Drum	20ltr	-6310B	N/A

Washing-Up Detergent

Contract
A fully bio-degradable 1.5% high active detergent for use as dishwashing liquid and general cleaning.



Strength	Size	Order Code	
Contract	5ltr	-3005R	N/A

Washing-up Detergent

Professional
A highly concentrated (up to 30%) liquid for hand dishwashing and general cleaning.



Strength	Size	Order Code	
Professional	5ltr	-3008V	N/A

All Purpose Cleaner

Professional
A thick lemon scented gel for use on all hard surfaces, walls, vinyl seats and coverings.



Strength	Size	Order Code	
Professional	5ltr	-3011Y	N/A

Contract Bleach

A solution containing 4% sodium hypochlorite, for use in toilets, sinks and drains.



Type	Size	Order Code	
Poly-bottle	5ltr	-3001M	N/A

Contract Pine Disinfectant

For general cleaning with a pleasant pine fragrance.



Type	Size	Order Code	
Poly-bottle	5ltr	-3003P	N/A

Concentrated Thick Bleach

Powerful thick formula effective against all pathogenic organisms. Contains added detergents for improved cleaning.



Type	Size	Order Code	
Poly-bottle	1ltr	-2914Y	N/A
Poly-bottle	5ltr	-3007T	N/A

Lubricants & Chemical Products

SOLENT™ **Lemon Quest**
CLEANING & HYGIENE
Washing Up Liquid

Concentrated to last. For use as dishwashing liquid and general household cleaning.



Type	Size	Order Code	SOL-780
Lemon	1ltr	-2910T	N/A

Medium Strength Toilet Cleaner

For cleaning and descaling ceramic sanitary fittings including urinals, wc's and wash basins. Supplied in poly-bottle. Suitable for industrial household, recreational, leisure and toilet/washroom facilities.



Product	Size	Order Code	SOL-780
Toilet Cleaner	1ltr	-2912W	N/A
	5ltr	-3004Q	N/A

Chanel-Blox

Deodorant cubes for use in urinal bowls and channels. Approximately 150 pieces. Supplied in plastic tub.



Product	Size	Order Code	SOL-780
Chanel Blox	3kg	-2710D	N/A

Air Fresheners

300ml aerosol room fresheners replaces offensive odours with a pleasant scent.



Description	Order Code	KEN-722
Pot Pourri	-1500K	N/A
Wild Berries	-1510K	N/A
Scented Jasmine	-1520K	N/A

Oven Cleaner

Removes baked-on grease and food residues from ovens and grills. Do not use on aluminium or galvanised metal. Approximate cleaning times: Light grease: 3 mins (cold oven), 1 min (hot oven). Heavy grease: 30 mins (cold), 5 mins (hot). Baked on grease: 12 hrs (cold), 2 hrs (hot).



Size	Order Code	SOL-780
750ml	-3023K	N/A

Window Cleaner

Simply spray on and wipe off to leave windows clean and sparkling. Contains vinegar for extra cleaning and a de-misting additive.



Size	Order Code	SOL-780
750ml	-3025M	N/A

Stainless Steel Cleaner

Silicone-free cleaner polish. For rapid cleaning and polishing of all stainless steel, chrome, aluminium, laminates and enamel. Ideal for serveries, kitchen appliances, food displays.



Size	Order Code	SOL-780
750ml	-3026N	N/A

Furniture Polish

Cleans and shines with a wipe. To clean, shine and protect furniture, tile, marble, stainless steel and most plastic and vinyl coated materials.



Size	Order Code	SOL-780
750ml	-3024L	N/A

Laundry Powder Biological

Fresh fragrance for whites and coloured fabrics. Suitable for automatic and top loading machines.



Product	Qty	Order Code	SOL-780
Biological Powder	10kg	-4010A	N/A

Professional Floor Cleaner Gel

Pine oil based gel for maintaining hard floor surfaces, including wood block, lino, vinyl and terrazzo. Can be buffed to a high gloss, non-slip sheen.



Type	Size	Order Code	SOL-780
Poly-bottle	5ltr	-3010X	N/A

Spray & Wipe with Bleach

Bactericidal cleaner specially formulated to remove mould/mildew stains, soap residues, grease/oils from around sinks, showers, baths and similar hard surfaces. Also acts as a highly effective sanitiser against all bacteria.



Size	Order Code	SOL-780
750ml	-3032V	N/A

All Fresh Washroom Cleaner

General purpose cleaner/disinfectant for use on hard surfaces. Prevents limescale build-up on vitreous enamel and stainless steel surfaces.



Product	Size	Order Code	SOL-780
Washroom Cleaner	1ltr	-2915Z	N/A

Lubricants & Chemical Products